

# ETV65&86 Datasheet

## 4K Extended Touch Display

## All-in-One Deep Integration Display for All Room Types

ETV is Yealink's new extended touch display, which can form a dual-screen display solution with Yealink MeetingBoard, bringing users the traditional dual-screen content display experience under video conferences. ETV also supports infrared touch, allowing users to write and create on the dual screens simultaneously.



### Selling Point

- 4K60Hz Ultra-HD Screen
- Zero-Gap Bonding Screen
- 40-Milliseconds Writing Latency
- 20 Touch Points

### Key Features and Benefits

- Optional 65"/86"
- 4K Resolution

- 60 Hz Screen Refresh Rate
- $\pm 1$ -Millimeter Writing Precision
- 2-Millimeter Writing Height
- Support 20 Touch Points

### All-in-One Design for Simple Installation

The ETV is available in 65" and 86" sizes, keeping the same design, size and installation method as the Yealink MeetingBoard, ensuring a consistent overall style after dual-screen installation and deployment. You can connect ETV to Yealink Device Management Platform through the MeetingBoard for unified device management, making the deployment and management more effortless.

### Dual-Screen Display

ETV can extend or duplicate the screen of Yealink MeetingBoard, allowing a “one screen portrait + one screen content sharing” or “one screen portrait + one screen whiteboard” display layout, meeting the needs of medium to large meeting rooms and above, making it more flexible and efficient.

### Dual-Screen Touch

ETV screen adopts zero-gap bonding technology and a builtin high-precision infrared touch, which can be used with Yealink MeetingBoard to realize dual-screen touch. It supports pen tip/pen top/finger/hand recognition and ultra-low latency of 40 ms, enabling multiple people to write and create simultaneously on dual screens, bringing higher communication efficiency for meetings, discussions and brainstorming.

## Specifications

Parameter	Description
Package Content	<ul style="list-style-type: none"> <li>· ETV Extended Touch Display</li> <li>· Stylus Pens x 2</li> <li>· Wall Mounted Bracket</li> <li>· Optional Component:               <ul style="list-style-type: none"> <li>- Single Screen Floor Stand</li> <li>- Dual Screen Floor Stand (65-inch only)</li> </ul> </li> </ul>

Screen	<ul style="list-style-type: none"> <li>· Size:</li> <li>- ETV 65: 65 inch</li> <li>- ETV 86: 86 inch</li> <li>· Resolution: 3840 x 2160</li> <li>· Color Gamut: 99% sRGB</li> <li>· Number of Displayable Colors: 1.07 billion</li> <li>· Contrast: 1200:1</li> <li>· Maximum Brightness: 350cd/ m<sup>2</sup></li> <li>· Refresh Rate: 60 Hz</li> <li>· Anti-glare Screen</li> <li>· Viewing Angle:</li> <li>- Horizontal: 178°</li> <li>- Vertical: 178°</li> <li>· Zero-Gap Bonding Screen</li> <li>· Screen Type: Infrared screen</li> <li>· Max. Screen Sensing Range: 2 mm</li> <li>· Precision: 1 mm</li> <li>· Number of Touch Points: 20 points</li> </ul>
Audio output (ETV86)	<ul style="list-style-type: none"> <li>· Built-in 6-unit stereo speakers</li> <li>- Speaker Unit:</li> <li>4 x full frequency speaker</li> <li>2 x high frequency speaker</li> <li>- Frequency Domain: 90 Hz-20 KHz</li> <li>- Maximum Sound Level: 95 dB SPL @ 1 W, 0.5 m</li> <li>- Total Harmonic Distortion(THD): 1 kHz &lt;1% (1 m, 89 dB SPL)</li> <li>- Speaker Sampling Frequency: 48 kHz</li> <li>- Rated Power: 30 W</li> </ul>
Management	<ul style="list-style-type: none"> <li>· Yealink Device Management Platform</li> <li>· Firmware Upgrade</li> <li>· Configuration Import/Export</li> <li>· System Log Export</li> </ul>
Compatible Endpoint	<ul style="list-style-type: none"> <li>· MeetingBoard</li> <li>- Dual Screen Display Resolution: 4K+1080p</li> <li>- Dual Screen Touch</li> <li>- Configure or Upgrade ETV via MeetingBoard*</li> <li>- Simultaneous Playback on Dual Screens (ETV86 only)</li> </ul>
Physical Port	<ul style="list-style-type: none"> <li>· 1 x HDMI Video Input</li> <li>· 1 Pair of RCA Linear Input (ETV86)</li> <li>· 1 x USB-B Touch Input Port</li> <li>· 1 x AC Power Port</li> </ul>

<p>Buttons, Indicators and Sensors</p>	<ul style="list-style-type: none"> <li>· Power Button</li> <li>· Home Button</li> <li>· Reset Button</li> <li>· Volume +/- Buttons (ETV86)</li> </ul>
<p>Other Physical Features</p>	<ul style="list-style-type: none"> <li>· ETV 65:</li> <li>- Dimensions:</li> <li>- ETV Dimensions (W.H.D): 1512 mm x 953mm x 92 mm</li> <li>- Carton Meas (W.H.D): 1660 mm x 1075mm x 280 mm</li> <li>- ETV with Floor Stand Dimensions (W.H.D): 1512 mm x 1885 mm x 720 mm</li> <li>- VESA Hole Dimensions(L.W): 600 mm x 400 mm</li> <li>- Weight:</li> <li>- N.W: 48 kg</li> <li>- G.W: 63.5 kg</li> <li>· ETV 86:</li> <li>- Dimensions:</li> <li>- ETV Dimensions (W.H.D): 1967 mm x 1205 mm x 96 mm</li> <li>- Carton Meas (W.H.D): 2090 mm x 1320 mm x 280 mm</li> <li>- ETV with Floor Stand Dimensions (W.H.D):1967 mm x 2040 mm x 820 mm</li> <li>- VESA Hole Dimensions(L.W): 800 mm x 600 mm</li> <li>- Weight</li> <li>- N.W: 85.3 kg</li> <li>- G.W: 109.4 kg</li> <li>· Floor Stand (Optional):</li> <li>- MB-FloorStand-650:</li> <li>- Dimensions (W.H.D):</li> <li>- Floor Stand Dimensions (W.H.D): 1160 mm x 1193 mm x 653 mm</li> <li>- Carton Meas: 1225 mm x 743 mm x 148 mm</li> <li>- Weight:</li> <li>- N.W: 12 kg</li> <li>- G.W:15.2 kg</li> <li>- MB-FloorStand-860:</li> <li>- Dimensions (W.H.D):</li> <li>- Floor Stand Dimensions (W.H.D): 1474 mm x 1142 mm x 750 mm</li> <li>- Carton Meas: 1425 mm x 843 mm x 148 mm</li> <li>- Weight:</li> <li>- N.W: 15 kg</li> <li>- G.W:19 kg</li> <li>· Power Input: 100-240V/50 Hz/60 Hz</li> <li>· Maximum Power Consumption</li> <li>- ETV 65: 175 W</li> <li>- ETV 86: 325.75 W</li> <li>· Operating Humidity: 10-95%</li> <li>· Operating Temperature: 0 to 40°C</li> <li>· Storage Temperature: -30 to +70°C</li> </ul>

\*Coming Soon